Model shown with available accessories.

DRIVE2

INNOVATIVE AND BOLD

# *Higher* INNOVATION *and* PERFORMANCE *in every car*

Our specialty cars deliver it all. From the new and improved automotive style dash, to the largest seats in the industry, unparalleled versatility and the reliability of a Yamaha-built engine. Every feature works together to bring you a car that is intuitively superior.

### TWO USB CONNECTIONS

To maintain power and stay charged. Built right into the dash.

### LARGEST, MOST COMFORTABLE SEAT IN THE INDUSTRY

Made of pure supple foam bonded to a seamless, durable, vinyl-backed cover. Its polypropylene seat base won't sag, rot, or warp despite daily use and repeated washings.

### PADDED STEERING WHEEL

Newly redesigned for more comfort and better handling.*

### STORAGE BIN WITH NO-SLIP MAT

34% larger to keep more valuables in place, and right at hand.

### AUTOMOTIVE STYLE DASH

Our newly designed dash has large, dual-sized cup holders, room for more items like snacks and mobile devices, and comes standard with two USB ports.*

### SUPERIOR FRONT SUSPENSION

Fully independent front suspension for maximum performance and comfort.

### LARGER SWEATER BASKET

Most storage and designed for easy cleaning.

### HEADLIGHTS & TAILLIGHTS

If the sun goes down before the work is done, no worries. All specialty cars come with LED headlights and standard taillights.
*Excludes Adventurer Sport, which has halogen headlights.*

### LARGER REAR ACCESS PANEL

382% larger for ease of maintenance and cleaning.

*Excludes Adventurer Sport model.

ADVENTURER SPORT 2+2

# THE KING *of the* CAMPSITE

Whether you're maintaining the greens or hauling gear for a weekend camping trip, the Adventurer Sport 2+2 — and all 300 pounds of its payload capacity — will be right there pulling for you. Of course, if you're in the mood for a bit of recreational off-roading, it's ready for that too!

Front brush guard is made of 3/16" steel, 1" round tubing, and 1-1/2" round tubing. Powder-coated for protection.

## A TRUE JACK-OF-ALL TRADES



WITH 20" TIRES, FLIP DOWN SEATS, AND 3" LIFT KIT, IT'S A LOW MAINTENANCE AND RELIABLE COMPANION.

**AVAILABLE COLORS** I = *In-molded Color* M = *Metallic Paint*

| I | M | M | M | M | M | M | M |
|---|---|---|---|---|---|---|---|
| Glacier | Sandstone | Moonstone | Bluestone | Jasper | Onyx | Aqua Blue | Rich Brown |

ADVENTURER SUPER HAULER

# HARD WORKING *and* *ready to* HAUL ANYTHING

Whether you're replacing water heaters, or setting up for the day's big event, this extra-large hauler will handle your load. With durable, low-maintenance engineering, and a super-sized aluminum cargo bed, it'll save you more than a few trips, not to mention headaches.

800 LBS

PAYLOAD CAPACITY

A generous storage space can be found under the front seats.

**AVAILABLE COLORS**

Glacier I

I = *In-molded Color*

# *Setting a* HIGHER STANDARD *for* COMFORT

Whether giving a facility tour to clients or transporting guests around the hotel grounds, our Concierge 4 will impress. With a smooth, quiet ride and the widest, most comfortable seats in the industry, these vehicles provide a first-class experience.

**#1 RATED**

**In customer satisfaction, customer support and reliability.***

Additional legroom for your passengers.

Our rugged, powder-coated steel handle provides additional comfort and safety for rear seat passengers.

**AVAILABLE COLORS** I = *In-molded Color* M = *Metallic Paint*

| I | M | M | M | M | M | M | M |
|---|---|---|---|---|---|---|---|
| Glacier | Sandstone | Moonstone | Bluestone | Jasper | Onyx | Aqua Blue | Rich Brown |

*Golf Car Fleet Study conducted by Golf Datatech, L.L.C., 2015.
YGC funded the research study conducted by Golf Datatech, L.L.C.

# *A reliable,* EFFICIENT SUPERIOR *passenger* CAR

When your guests arrive, you want to make a lasting first impression. Knowing that, we've outfitted both our four and six-seat Concierge models with a wealth of features to impress even the most discerning passengers. Thanks to extra-smooth handling and a quiet ride, plus the widest bench seats in the industry, its first-class luxury sets the stage for a memorable visit.

## MOST COMFORTABLE SEAT IN THE INDUSTRY

Storage under two bench seats means you'll never have to make a second trip. Keep supplies on-hand and safely hidden.

**AVAILABLE COLORS** I = *In-molded Color* M = *Metallic Paint*

| I | M | M | M | M | M | M | M |
|---|---|---|---|---|---|---|---|
| Glacier | Sandstone | Moonstone | Bluestone | Jasper | Onyx | Aqua Blue | Rich Brown |

# *Load up and* ROLL OUT *there's* WORK *to do*

Don’t let that comfortable seating and sporty design fool you. The Adventurer Sport may play nice, but when it's time to take on a tough job, it’s ready to work hard. Fully equipped with a number of standard features like the tilting dump bed, 300 pound payload capacity, and 3 inch lift kit, it’s a workhorse that every crew wants on their team.

## 7.8 CUBIC FOOT DUMP BED

With a 300 lb. payload capacity, pneumatic-assist tilting, fold & lock tailgate, and rotomolded linear polyethylene construction, this is where the hard work gets done.



This new addition to Yamaha's Tru-Trak™ II automotive-style suspension not only looks sportier, but allows for mounting larger wheels, and improves ground clearance.



These sleek and stylish fender flares look great, and also protect you, your passengers, and your car from the occasional puddle of mud.

**AVAILABLE COLORS**

| | |
|---|---|
| M Jasper | I Tortuga |

I = *In-molded Color* M = *Metallic Paint*

With our quiet gas cars boasting a 261-mile range and our electric cars wielding an industry-leading 6.5 horsepower motor:

# OUR ONLY QUESTION FOR YOU IS REFUEL OR RECHARGE?

## GAS

The new QuieTech EFI boasts the lowest decibel output of any gas car and features the industry's first-ever Independent Rear Suspension on a golf car. This unprecedented combination ensures your players experience a luxuriously quiet ride. At 45 MPG and less hydrocarbon emissions than the competition, we think you'll agree that choosing QuieTech EFI is the most sound business decision you could make for your golf course.

- Yamaha exclusive QuieTech EFI technology
- Independent Rear Suspension (IRS)
- Industry-leading fuel economy
- 12.8% more miles to the gallon over the competition – 45 MPG[1]
- Yamaha-built engine, designed and built for durability
- Fewest emissions and up to 76% fewer pollutants than the competitors*
- All Yamaha Golf Cars are proudly built in Newnan, Georgia



## ELECTRIC

Our new electric Drive² puts the power in PowerTech AC. Prepare yourself for an energy-efficient, electric solution that features smooth acceleration and unrivaled hill-climbing ability like you've never experienced before. Our electric cars make battery power synonymous with horsepower, while giving your players a silky smooth ride.

- PowerTech AC Electric Drive
- Toyota Industries-built motor control unit
- Reliability and proven performance
- Cradle smooth rear suspension system
- Equipped with industry-leading Trojan T-875 batteries
- Best hill-climbing ability
- Yamaha-built charger
- All Yamaha Golf Cars are proudly built in Newnan, Georgia

[1]Independent laboratory testing in a fleet environment by Transportation Research Center, Inc. 2015, on model year 2016 cars.

# CUSTOMIZED ACCESSORIES

### LED Front Logo

Attention grabbing LED lit logo for increased visibility.

### LED Taillights

Optional LED ANSI compliant taillights.

### Premium Light Package

Turn signal package (includes LED taillights).

### Ultra Premium Light Package

Ultra Premium PTV Upgrade Kit adds daytime running lights (DRL), LED turn signals and upgraded Sequintial LED brake lights. Includes random key switch.

### Enclosure

Fits over the roof and features easily stored zip-off windshield, easy-zip doors, and quick, easy adjustment. Installs in minutes. Includes deluxe carrying case.

### Steering Wheel

3-spoke design with black molded polyurethane grip. Silver anodized spokes. 11 ½" diameter.

### Mirrors

4"x 6" side mirrors mount to the sun top uprights. Made of durable black automotive ABS. Easy install.

### Stereo Console

Console includes speakers and features black roto-molded, foam-insulated, double-wall plastic construction. Mounts underneath vehicle top. Stereo not included.

### Bluetooth Media Receiver

Includes Bluetooth connectivity for Android smartphones and USB connections for iPod®/iPhone®. Two phones connect for hands-free calling and listening services.

### HomeLink®

Connect your Yamaha golf car to your home with the most widely trusted wireless remote control system. Compatible with nearly all garage door openers and gate systems.

### Carry Bag

Straps conveniently into your golf bag strap. Perfect for carrying groceries, shopping bags, boxes and more.

### Parking Pad

Made with a poly film backing to protect your garage floor.

### Car Storage Cover

Made of high performance, heavy duty vinyl, with sealed seams and industrial zippers, custom-tailored to fit over the ClimaGuard™ Top.

### Optional Black Seat

Widest, most comfortable seat, contoured for the most ergonomic ride.

### Optional Black Top

Protection from the elements. Our ClimaGuard™ top with dual gutters is 33% larger than the nearest competitor.

### Classic RFS Kit

Complete, easy-to-install rear-facing seat kit converts easily to light duty cargo area.

### Eight 6-Volt Battery Option

We offer eight 6-volt Trojan T-105 batteries which provide approximately 30% more range and an extended life due to a lower depth of discharge.

### Chrome Kick Plate

Includes a sleek, modern, easy to care for kick-plate to protect your interior.

### Polycarbonate Split Windshield (clear or tinted)

**Clear Split Windshield**

**Tinted Split Windshield**

With a contoured bottom designed to hug the front of the vehicle and seal out the elements, this polycarbonate windshield has a flexible hinge that allows the windshield to smoothly fold and lock in place.

### Millennia MA100 Speaker/Amp Package

This Bluetooth® audio kit has no external buttons or lights, giving your golf car a clean look. Includes two speakers and all wiring.

### Bluetooth® with Volume Control

Easy to operate, waterproof device is iPhone and Android compatible and it features three connection options. Connects to MA100 Speaker/Amp Package (sold separately).

### USB Charging Ports

Two ports to maintain power and stay charged. Built right into the dash.

### Wheels

4 SPOKE ALLOY WHEEL AVAILABLE IN 10" & 12" SIZES

10" SILVER CASINO WITH KENDA LOADSTAR 205/65-10 TIRE

10" BLACK CASINO WITH KENDA LOADSTAR 205/65-10 TIRE

See the Yamaha Parts and Accessories Catalog to view the full line of golf car accessories.

# 4 PASSENGER QUIETECH EFI

| DIMENSIONS | |
|---|---|
| OVERALL LENGTH | 127.2 in (323 cm) |
| OVERALL WIDTH | 47.2 in (120 cm) |
| OVERALL HEIGHT (no suntop) | 48.8 in (124 cm) |
| WHEEL BASE | 98.0 in (249 cm) |
| TREAD (FRONT) | 34.6 in (88 cm) |
| TREAD (REAR) | 38.2 in (97 cm) |
| MINIMUM GROUND CLEARANCE | 5.9 in (15 cm) |
| DRY WEIGHT WITH SUNTOP | 441.6 kg |
| FLOOR BOARD HEIGHT | 13.4 in (34 cm) |

| GENERAL | |
|---|---|
| FUEL TANK CAPACITY | 22 liters (5.8 gallons) |
| TIRE SIZE | 205/65-10 4PLY |
| SEATING CAPACITY | 4 persons |
| AVAILABLE MODEL COLORS | Glacier<br>Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper |
| AVAILABLE SEAT COLORS | Standard: Stone Optional: Black |
| AVAILABLE SUNTOP COLORS | Stone, Black , White |
| WARRANTY | Standard 2 year limited vehicle warranty |

| ENGINE | |
|---|---|
| TYPE OF ENGINE | Yamaha-built 357cc, low-emission single cylinder 60° incline OHV |
| LUBRICATION SYSTEM | Splash-style positive oil lubrication |
| OIL CAPACITY (L) | 1 U.S. quart (1 Liter, 1000cc) |
| TYPE OF AIR CLEANER | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge |
| COOLING SYSTEM | Forced Air |
| FUEL SYSTEM | Electronic Fuel Injection |
| STARTING SYSTEM | Starter Generator with pedal start |

| CHASSIS | |
|---|---|
| FRAME | HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/ urethane powder topcoat |
| BODY | Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane |
| STEERING | Self-compensating double reduction helical rack-and-pinion |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension |
| REAR SUSPENSION | Fully independent automotive-style strut suspension |
| BRAKE SYSTEM (MAIN) | Self-adjusting mechanical, rear wheel drum brakes |
| BUMPERS | Front and rear 5 mph energy-absorbing bumpers |

| PERFORMANCE | |
|---|---|
| MAXIMUM SPEED | 19 mph (31 km/h) |
| MINIMUM TURNING RADIUS | 14.4 ft (4.4 m) |

# 4 PASSENGER POWERTECH AC

| DIMENSIONS | |
|---|---|
| OVERALL LENGTH | 127.2 in (323 cm) |
| OVERALL WIDTH | 47.2 in (120 cm) |
| OVERALL HEIGHT (no suntop) | 48.4 in (123 cm) |
| WHEEL BASE | 98.0 in (249 cm) |
| TREAD (FRONT) | 34.6 in (88 cm) |
| TREAD (REAR) | 38.2 in (97 cm) |
| MINIMUM GROUND CLEARANCE | 5.5 in (14 cm) |
| WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES | 563 kg |
| FLOOR BOARD HEIGHT | 13.0 in (33 cm) |

| GENERAL | |
|---|---|
| TIRE SIZE | 205/65-10 4PLY |
| SEATING CAPACITY | 4 persons |
| AVAILABLE MODEL COLORS | Glacier<br>Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper |
| AVAILABLE SEAT COLORS | Standard: Stone Optional: Black |
| AVAILABLE SUNTOP COLORS | Stone, Black , White |
| WARRANTY | Standard 2 year limited vehicle warranty |

| MOTOR / DRIVE TRAIN / POWER SUPPLY | |
|---|---|
| MOTOR | 48-Volt AC |
| OUTPUT RATING | 6.7 hp (5.0 kW) for 60 minutes |
| MOTOR CONTROL UNIT | NEOS 350 amp AC controller by Toyota Industries Corporation |
| BATTERIES | Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries |

| CHASSIS | |
|---|---|
| FRAME | HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/ urethane powder topcoat |
| BODY | Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane |
| STEERING | Self-compensating double reduction helical rack-and-pinion |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension |
| REAR SUSPENSION | Fully independent automotive-style strut suspension |
| BRAKES | Self-adjusting mechanical, rear wheel drum brakes |
| BUMPERS | Front and rear 5 mph energy-absorbing bumpers |

| PERFORMANCE | |
|---|---|
| MAXIMUM SPEED | 19 mph (31 km/h) |
| MINIMUM TURNING RADIUS | 14.4 ft (4.4 m) |

Specifications subject to change without notice.

# 6 PASSENGER QUIETECH EFI

| DIMENSIONS | |
|---|---|
| OVERALL LENGTH | 161.0 in (409 cm) |
| OVERALL WIDTH | 47.3 in (120 cm) |
| OVERALL HEIGHT (no suntop) | 48.8 in (124 cm) |
| WHEEL BASE | 131.9 in (335 cm) |
| TREAD (FRONT) | 34.6 in (88 cm) |
| TREAD (REAR) | 38.2 in (97 cm) |
| MINIMUM GROUND CLEARANCE | 5.9 in (15 cm) |
| DRY WEIGHT WITH SUNTOP | 523.6 kg |
| FLOOR BOARD HEIGHT | 13.4 in (34 cm) |

| GENERAL | |
|---|---|
| FUEL TANK CAPACITY | 22 liters (5.8 gallons) |
| TIRE SIZE | 205/65-10 4PLY |
| SEATING CAPACITY | 6 persons |
| AVAILABLE MODEL COLORS | Glacier<br>Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper |
| AVAILABLE SEAT COLORS | Standard: Stone Optional: Black |
| AVAILABLE SUNTOP COLORS | Stone, Black , White |
| WARRANTY | Standard 2 year limited vehicle warranty |

| ENGINE | |
|---|---|
| TYPE OF ENGINE | Yamaha-built 357cc, low-emission single cylinder 60° incline OHV |
| LUBRICATION SYSTEM | Splash-style positive oil lubrication |
| OIL CAPACITY (L) | 1 U.S. quart (1 Liter, 1000cc) |
| TYPE OF AIR CLEANER | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge |
| COOLING SYSTEM | Forced Air |
| FUEL SYSTEM | Electronic Fuel Injection |
| STARTING SYSTEM | Starter Generator with pedal start |

| CHASSIS | |
|---|---|
| FRAME | HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/ urethane powder topcoat |
| BODY | Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane |
| STEERING | Self-compensating double reduction helical rack-and-pinion |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension |
| REAR SUSPENSION | Fully independent automotive-style strut suspension |
| BRAKE SYSTEM (MAIN) | Self-adjusting mechanical, rear wheel drum brakes |
| BUMPERS | Front and rear 5 mph energy-absorbing bumpers |

| PERFORMANCE | |
|---|---|
| MAXIMUM SPEED | 19 mph (31 km/h) |
| MINIMUM TURNING RADIUS | 18.7 ft (5.7 m) |

# 6 PASSENGER POWER TECH AC

| DIMENSIONS | |
|---|---|
| OVERALL LENGTH | 161.0 in (409 cm) |
| OVERALL WIDTH | 47.2 in (120 cm) |
| OVERALL HEIGHT (no suntop) | 48.4 in (123 cm) |
| WHEEL BASE | 131.9 in (335 cm) |
| TREAD (FRONT) | 34.6 in (88 cm) |
| TREAD (REAR) | 38.2 in (97 cm) |
| MINIMUM GROUND CLEARANCE | 5.5 in (14 cm) |
| WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES | 627 kg |
| FLOOR BOARD HEIGHT | 13.0 in (33 cm) |

| GENERAL | |
|---|---|
| TIRE SIZE | 205/65-10 4PLY |
| SEATING CAPACITY | 6 persons |
| AVAILABLE MODEL COLORS | Glacier<br>Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper |
| AVAILABLE SEAT COLORS | Standard: Stone Optional: Black |
| AVAILABLE SUNTOP COLORS | Stone, Black , White |
| WARRANTY | Standard 2 year limited vehicle warranty |

| MOTOR / DRIVE TRAIN / POWER SUPPLY | |
|---|---|
| MOTOR | 48-Volt AC |
| OUTPUT RATING | 6.7 hp (5.0 kW) for 60 minutes |
| MOTOR CONTROL UNIT | NEOS 350 amp AC controller by Toyota Industries Corporation |
| BATTERIES | Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries |

| CHASSIS | |
|---|---|
| FRAME | HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/ urethane powder topcoat |
| BODY | Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane |
| STEERING | Self-compensating double reduction helical rack-and-pinion |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension |
| REAR SUSPENSION | Fully independent automotive-style strut suspension |
| BRAKES | Self-adjusting mechanical, rear wheel drum brakes |
| BUMPERS | Front and rear 5 mph energy-absorbing bumpers |

| PERFORMANCE | |
|---|---|
| MAXIMUM SPEED | 19 mph (31 km/h) |
| MINIMUM TURNING RADIUS | 18.7 ft (5.7 m) |

# SUPER HAULER EFI

### DIMENSIONS

| | |
|---|---|
| OVERALL LENGTH | 142.9 in (363 cm) |
| OVERALL WIDTH | 53.5 in (136 cm) |
| OVERALL HEIGHT (NO SUNTOP) | 48.8 in (124 cm) |
| WHEEL BASE | 98.0 in (249 cm) |
| TREAD (FRONT) | 34.6 in (88 cm) |
| TREAD (REAR) | 38.2 in (97 cm) |
| MINIMUM GROUND CLEARANCE | 5.9 in (15 cm) |
| DRY WEIGHT WITH SUNTOP | 431 kg |
| FLOOR BOARD HEIGHT | 13.4 in (34 cm) |

### GENERAL

| | |
|---|---|
| FUEL TANK CAPACITY | 22 liters (5.8 gallons) |
| TIRE SIZE | 205/65-10 4PLY |
| SEATING CAPACITY | 2 persons |
| AVAILABLE MODEL COLORS | Glacier |
| AVAILABLE SEAT COLORS | Standard: Black Optional: Stone |
| AVAILABLE SUNTOP COLORS | Standard: Black |
| WARRANTY | Standard 2 year limited vehicle warranty |

### ENGINE

| | |
|---|---|
| TYPE OF ENGINE | Yamaha-built 357cc, low-emission single cylinder 60° incline OHV |
| LUBRICATION SYSTEM | Splash-style positive oil lubrication |
| OIL CAPACITY (L) | 1 U.S. quart (1 Liter, 1000cc) |
| TYPE OF AIR CLEANER | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge |
| COOLING SYSTEM | Forced Air |
| FUEL SYSTEM | Electronic Fuel Injection |
| STARTING SYSTEM | Starter Generator with pedal start |

### CHASSIS

| | |
|---|---|
| FRAME | HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat |
| BODY | Mold-in Polypropylene for Glacier Color |
| STEERING | Self-compensating double reduction helical rack-and-pinion |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension |
| REAR SUSPENSION | Fully independent automotive-style strut suspension |
| BRAKE SYSTEM (MAIN) | Self-adjusting mechanical, rear wheel drum brakes |
| BUMPERS | Front 5 mph energy-absorbing bumper |

### CARGO BED SIZE

| | |
|---|---|
| LENGTH | 46.4 in (177.9 cm) |
| WIDTH | 47.0 in (119.4 cm) |
| HEIGHT | 7.8 in (20.0 cm) |
| CARGO BED CAPACITY | 800 kg |

### PERFORMANCE

| | |
|---|---|
| MAXIMUM SPEED | 19 mph (31 km/h) |
| MINIMUM TURNING RADIUS | 14.4 ft (4.4 m) |

# SUPER HAULER AC

### DIMENSIONS

| | |
|---|---|
| OVERALL LENGTH | 142.9 in (363 cm) |
| OVERALL WIDTH | 53.5 in (136 cm) |
| OVERALL HEIGHT (NO SUNTOP) | 48.4 in (123 cm) |
| WHEEL BASE | 98.0 in (249 cm) |
| TREAD (FRONT) | 34.6 in (88cm) |
| TREAD (REAR) | 38.2 in (97cm) |
| MINIMUM GROUND CLEARANCE | 5.5 in (14 cm) |
| WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES | 442.5 kg |
| FLOOR BOARD HEIGHT | 13.0 in (33 cm) |

### GENERAL

| | |
|---|---|
| TIRE SIZE | 205/65-10 4PLY |
| SEATING CAPACITY | 2 persons |
| AVAILABLE MODEL COLORS | Glacier |
| AVAILABLE SEAT COLORS | Standard: Black Optional: Stone |
| AVAILABLE SUNTOP COLORS | Standard: Black |
| WARRANTY | Standard 2 year limited vehicle warranty |

### MOTOR / DRIVE TRAIN / POWER SUPPLY

| | |
|---|---|
| MOTOR | 48-Volt AC |
| OUTPUT RATING | 6.7 hp (5.0 kW) for 60 minutes |
| MOTOR CONTROL UNIT | NEOS 350 amp AC controller by Toyota Industries Corporation |
| BATTERIES | Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries |

### CHASSIS

| | |
|---|---|
| FRAME | HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat |
| BODY | Mold-in Polypropylene for Glacier Color |
| STEERING | Self-compensating double reduction helical rack-and-pinion |
| FRONT SUSPENSION | Tru-Trak II ™ fully independent automotive-style strut suspension |
| REAR SUSPENSION | Fully independent automotive-style strut suspension |
| BRAKES | Self-adjusting mechanical, rear wheel drum brakes |
| BUMPERS | Front 5 mph energy-absorbing bumper |

### CARGO BED SIZE

| | |
|---|---|
| LENGTH | 46.4 in (177.9 cm) |
| WIDTH | 47.0 in (119.4 cm) |
| HEIGHT | 7.8 in (20.0 cm) |
| CARGO BED CAPACITY | 800 kg |

### PERFORMANCE

| | |
|---|---|
| MAXIMUM SPEED | 19 mph (31 km/h) |
| MINIMUM TURNING RADIUS | 14.4 ft (4.4 m) |

Specifications subject to change without notice.

# ADVENTURER 2+2 QUIETECH EFI

### DIMENSIONS

| | |
|---|---|
| OVERALL LENGTH | 108.3 in (275 cm) |
| OVERALL WIDTH | 50.8 in (129 cm) |
| OVERALL HEIGHT (no suntop) | 50.4 in (128 cm) |
| WHEEL BASE | 65.0 in (165 cm) |
| TREAD (FRONT) | 37.8 in (96 cm) |
| TREAD (REAR) | 39.8 in (101 cm) |
| MINIMUM GROUND CLEARANCE | 6.3 in (16 cm) |
| DRY WEIGHT WITH SUNTOP | 424.5 kg |
| FLOOR BOARD HEIGHT | 15.0 in (38 cm) |

### GENERAL

| | |
|---|---|
| FUEL TANK CAPACITY | 22 liters (5.8 gallons) |
| TIRE SIZE | 20x10-8 (4PLY) |
| SEATING CAPACITY PERSONS | 4 persons |
| AVAILABLE MODEL COLORS | Glacier<br>Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper |
| AVAILABLE SEAT COLORS | Standard: Stone Optional: Black |
| AVAILABLE SUNTOP COLORS | Stone, Black , White |
| WARRANTY | Standard 2 year limited vehicle warranty |

### ENGINE

| | |
|---|---|
| TYPE OF ENGINE | Yamaha-built 357cc, low-emission single cylinder 60° incline OHV |
| LUBRICATION SYSTEM | Splash-style positive oil lubrication |
| OIL CAPACITY (L) | 1 U.S. quart (1 Liter, 1000cc) |
| TYPE OF AIR CLEANER | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge |
| COOLING SYSTEM | Forced Air |
| FUEL SYSTEM | Electronic Fuel Injection |
| STARTING SYSTEM | Starter Generator with pedal start |

### CHASSIS

| | |
|---|---|
| FRAME | HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat |
| BODY | Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane |
| STEERING | Self-compensating double reduction helical rack-and-pinion |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension |
| REAR SUSPENSION | Fully independent automotive-style strut suspension |
| BRAKE SYSTEM (MAIN) | Self-adjusting mechanical, rear wheel drum brakes |
| BUMPERS | Front and rear 5 mph energy-absorbing bumpers |

### PERFORMANCE

| | |
|---|---|
| MAXIMUM SPEED | 15 mph (24 km/h) |
| MINIMUM TURNING RADIUS | 9.8 ft (3.0 m) |

# ADVENTURER 2+2 POWERTECH AC

### DIMENSIONS

| | |
|---|---|
| OVERALL LENGTH | 108.3 in (275 cm) |
| OVERALL WIDTH | 50.8 in (129 cm) |
| OVERALL HEIGHT (no suntop) | 50.4 in (128 cm) |
| WHEEL BASE | 65.0 in (165 cm) |
| TREAD (FRONT) | 37.8 in (96 cm) |
| TREAD (REAR) | 40.2 in (102 cm) |
| MINIMUM GROUND CLEARANCE | 5.1 in (13 cm) |
| WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES | 524 kg |
| FLOOR BOARD HEIGHT | 15.0 in (38 cm) |

### GENERAL

| | |
|---|---|
| TIRE SIZE | 20x10-8 (4PLY) |
| SEATING CAPACITY | 4 Persons |
| AVAILABLE MODEL COLORS | Glacier<br>Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper |
| AVAILABLE SEAT COLORS | Standard: Stone Optional: Black |
| AVAILABLE SUNTOP COLORS | Stone, Black , White |
| WARRANTY | Standard 2 year limited vehicle warranty |

### MOTOR / DRIVE TRAIN / POWER SUPPLY

| | |
|---|---|
| MOTOR | 48-Volt AC |
| OUTPUT RATING | 6.7 hp (5.0 kW) for 60 minutes |
| MOTOR CONTROL UNIT | NEOS 350 amp AC controller by Toyota Industries Corporation |
| BATTERIES | Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries |

### CHASSIS

| | |
|---|---|
| FRAME | HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat |
| BODY | Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane |
| STEERING | Self-compensating double reduction helical rack-and-pinion |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension |
| REAR SUSPENSION | Fully independent automotive-style strut suspension |
| BRAKES | Self-adjusting mechanical, rear wheel drum brakes |
| BUMPERS | Front and rear 5 mph energy-absorbing bumpers |

### PERFORMANCE

| | |
|---|---|
| MAXIMUM SPEED | 15 mph (24 km/h) |
| MINIMUM TURNING RADIUS | 9.8 ft (3.0 m) |

# ADVENTURER SPORT QUIETECH EFI

### DIMENSIONS

| | |
|---|---|
| OVERALL LENGTH | 104.7 in (266 cm) |
| OVERALL WIDTH | 48.8 in (124 cm) |
| OVERALL HEIGHT (no suntop) | 47.2 in (120 cm) |
| WHEEL BASE | 64.6 in (164 cm) |
| TREAD (FRONT) | 34.6 in (88 cm) |
| TREAD (REAR) | 38.6 in (98 cm) |
| MINIMUM GROUND CLEARANCE | 4.3 in (11 cm) |
| DRY WEIGHT WITH SUNTOP | 346 kg |
| FLOOR BOARD HEIGHT | 14.6 in (37 cm) |

### GENERAL

| | |
|---|---|
| FUEL TANK CAPACITY | 22 liters (5.8 gallons) |
| TIRE SIZE | 20x10-8 (4PLY) |
| SEATING CAPACITY PERSONS | 4 persons |
| AVAILABLE MODEL COLORS | Glacier<br>Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper |
| AVAILABLE SEAT COLORS | Standard: Stone Optional: Black |
| AVAILABLE SUNTOP COLORS | Stone, Black , White |
| WARRANTY | Standard 2 year limited vehicle warranty |

### ENGINE

| | |
|---|---|
| TYPE OF ENGINE | Yamaha-built 357cc, low-emission single cylinder 60° incline OHV |
| LUBRICATION SYSTEM | Splash-style positive oil lubrication |
| OIL CAPACITY (L) | 1 U.S. quart (1 Liter, 1000cc) |
| TYPE OF AIR CLEANER | Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge |
| COOLING SYSTEM | Forced Air |
| FUEL SYSTEM | Electronic Fuel Injection |
| STARTING SYSTEM | Starter Generator with pedal start |

### CHASSIS

| | |
|---|---|
| FRAME | HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat |
| BODY | Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane |
| STEERING | Self-compensating double reduction helical rack-and-pinion |
| FRONT SUSPENSION | Tru-Trak II™ fully independent automotive-style strut suspension |
| REAR SUSPENSION | Fully independent automotive-style strut suspension |
| BRAKE SYSTEM (MAIN) | self-adjusting mechanical, rear wheel drum brakes |
| BUMPERS | front and rear 5 mph energy-absorbing bumpers |

### PERFORMANCE

| | |
|---|---|
| MAXIMUM SPEED | 15 mph (24 km/h) |
| MINIMUM TURNING RADIUS | 9.8 ft (3.0 m) |

1270 Chastain Road
Kennesaw, Georgia 30144
1.866.747.4027
YamahaGolfCar.com

THE EASY CHOICE

© Yamaha Golf-Car Company

LIT-16018-00-00